SAFETY DATA SHEET
(in accordance with Regulation (EU) 2020/878)

BLU52 TRIDENT MULTI-ACTION FLOATER

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING.

1.1 Product identifier.

Product Name: BLU52 TRIDENT MULTI-ACTION FLOATER

1.2 Relevant identified uses of the substance or mixture and uses advised against.

For use in swimming pool sanitation.

1.3 Details of the supplier of the safety data sheet.

Company: **Fluidra Waterlinx (Pty) Ltd**
Address: 5 Kruger Street, Denver
City: Johannesburg
Province: Gauteng (South Africa)
Telephone: +27 11 037 8400
Fax: +27 11 037 8459
E-mail: customercare@fluidra.co.za
Web: www.fluidra.com

1.4 Emergency telephone number: 0861 555 777 (Available 24 hours) (Poison information centre in South Africa)

SECTION 2: HAZARDS IDENTIFICATION.

2.1 Classification of the substance or mixture.
In accordance with Regulation (EU) No 1272/2008:
Ox. Sol. (Category 2) : H272 May intensify fire; oxidiser.
Acute Tox. (Category 4) : H302 Harmful if swallowed.
Eye Dam. (Category 1) : H318 Causes serious eye damage.
STOT SE (Category 3) : H335 May cause respiratory irritation.
Aquatic Chronic (Category 1) : H410 Very toxic to aquatic life with long lasting effects.
Aquatic Acute (Category 1) : H400 Very toxic to aquatic life.

2.2 Label elements.

Labelling in accordance with GHS rev.9 and Regulation (EU) No 1272/2008:
Pictograms:



Signal Word:
Danger
Hazard statements:

H272	May intensify fire; oxidiser. (Category 2)
H290	May be corrosive to metals
H302	Harmful if swallowed. (Category 4)
H314	Skin corrosion (Cattegory 1B)
H315	Causes skin irritation.
H318	Causes serious eye damage. (Category 1)
H331	Acute toxiicty inhalation (Category 4)
H333	May be harmful if inhaled
H335	Specific target organ toxicity, single exposure (Category3).
H400	Very toxic to aquatic life – Aquatic acute (Category 1)
H410	Very toxic to aquatic life with long lasting effects – Aquatic chronic (Category 1)
H433	Harmful to terrestrial vertebrates.

-Continued on next page.-

Precautionary statements:

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P220	Keep away from clothing and other combustible materials
P234	Keep only in original container
P260	Avoid breathing dust or fumes
P262	Do not get in eyes or on skin or clothing.
P264	Wash face, hands and any exposed skin thoroughly after handling
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/…
P301+P310+P330	IF SWOLLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P302+P352	IF ON SKIN: wash with plenty of soap and water.
P304+P312	IF INHALED, call a Poison centre or Doctor if feeling unwell.
P305+P351+P388	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313+P315	IF exposed or concerned: Get medical advice/attention.
P321	For specific treatment read the label
P332+P313	If skin irritation occurs get medical advice/attention.
P337+P313	If eye irritation presists get medical advice/attention.
P362	Take off contaminated clothing and wash before re-use
P370+P378	In case of fire: Use appropriate extinguishing products.
P390	Avoid spillage to prevent material damage.
P405	Store locked up.
P501	Dispose of contents/container in accordance with applicable regulations.

EUH statements:

EUH031	Contact with acids liberates toxic gas.
EUH206	Warning! Do not use together with other products. May release dangerous gases (chlorine).

Contains:

Trichloroisocyanuric Acid
Zinc Sulfate Monohydrate
Copper sulphate pentahydrate
Aluminium sulphate Octadecahydrate

2.3 Other hazards.
The mixture does not contain substances classified as PBT.
The mixture does not contain substances classified as vPvB.
The mixture does not contain any endocrine disrupting properties substances.

In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS.

3.1 Substances.
Not Applicable.

-Continued on next page.-

3.2 Mixtures.
Substances posing a danger to health or the environment in accordance with the Regulation (EC) No. 1272/2008, assigned a Community exposure limit in the workplace, and classified as PBT/vPvB or included in the Candidate List:

Identifiers	Name	Concentrate	(*)Classification - Regulation (EC) No 1272/2008	
			Classification	Specifics concentration limits and Acute toxicity estimate
Index No: 613-031-00-5 CAS No: 87-90-1 EC No: 201-782-8	Trichloroisocyanuric acid	95-100 %	Acute Tox. 4 *, H302 - Aquatic Acute 1, H400 - Aquatic Chronic 1, H410 - Eye Irrit. 2, H319 - Ox. Sol. 2, H272 - STOT SE 3, H335	STOT SE (Category 3) : H335 May cause respiratory irritation.
BOOSTER				
Index No: 030-006-00-9 CAS No: 7733-02-0 EC No: 231-793-3	Zinc Sulfate Heptahydrate	40 - 60%	Acute Tox. 4; Eye Dam. 1; Aquatic Acute 1; Aquatic Chronic 1; H302, H318, H400, H410 M-Factor - Aquatic Acute: 10 M-Factor - Aquatic Chronic: 1	-
CAS No: 10043-01-3 EC No: 233-135-0	Aliminium Sulfate Octadecahydrate	15 - 25%	Met. Corr. 1; Skin Corr. 1A; Eye Dam. 1; H290, H314, H318	-
Index No: 029-023-00-4 CAS No: 7758-98-7 EC No: 231-847-6	copper sulphate pentahydrate	25 - 35%	Acute Tox. 4; Eye Dam. 1; Aquatic Acute 1; Aquatic Chronic 1; H302, H318, H400, H410 M-Factor - Aquatic Acute: 10 - Aquatic Chronic: 1 Acute oral toxicity: 481 mg/kg	-

(*)*The complete text of the H phrases is given in section 16 of this Safety Data Sheet.*
** See Regulation (EC) No. 1272/2008, Annex VI, section 1.2.*
[2] Substance with a national workplace exposure limit (see section 8.1).
[5] Substance included in the list established under Article 59, paragraph 1, REACH (Candidate substance).

SECTION 4: FIRST AID MEASURES.

4.1 Description of first aid measures.
Delayed effects may occur after the exposure to the product.

Inhalation.
Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration. Do not administer anything orally. If unconscious, place them in a suitable position and seek medical assistance.

-Continued on next page.-

Eye contact.
Wash eyes with plenty of clean and cool water for at least 10 minutes while pulling eyelids up, and seek medical assistance. Don't let the person to rub the affected eye.

Skin contact.
Remove contaminated clothing. Wash skin vigorously with water and soap or a suitable skin cleaner. NEVER use solvents or thinners.

Ingestion.
If accidentally ingested, seek immediate medical attention. Keep calm. NEVER induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed.
Corrosive Product, contact with eyes or skin can cause burns; ingestion or inhalation can cause internal damage, if this occurs immediate medical assistance is required.
Harmful Product, prolonged exposure due to inhalation may cause anaesthetic effects and the need for immediate medical assistance.
Long-term chronic exposure may result in injury to certain organs or tissues.
Contact with eyes may cause irreversible damage.

4.3 Indication of any immediate medical attention and special treatment needed.
In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious. Keep the person comfortable. Turn him/her over to the left side and stay there while waiting for medical care.

SECTION 5: FIREFIGHTING MEASURES.

5.1 Extinguishing media.
Suitable extinguishing media:
CO2.
Suitable extinguishing media: CO2 in small fires and water in large quantities (small amounts of water may aggravate the situation)

Unsuitable extinguishing media:
Do not use a direct stream of water to extinguish. You cannot use water or foam as extinguishing media.
Unsuitable extinguishing media: Dry powder, Halogenated hydrocarbon, ABC powder.

5.2 Special hazards arising from the substance or mixture.
Produces oxides of sulphur, zinc, and copper on combustion or thermal decomposition.

5.3 Advice for firefighters.
In case of fire, wear self-contained breathing apparatus. Prevent skin contact. Prevent the products used to fight the fire from going into drains, sewers, or waterways. Product residues and extinguishing media may contaminate the aquatic environment.

Fire protection equipment.
According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots.

SECTION 6: ACCIDENTAL RELEASE MEASURES.

6.1 Personal precautions, protective equipment and emergency procedures.
For exposure control and individual protection measures, see section 8.

6.2 Environmental precautions.
Product dangerous for the environment, in case of large spills or if the product contaminates lakes, rivers, or sewers, inform the responsible authorities according to local legislation. Prevent the contamination of drains, surface or subterranean waters, and the ground. Do not let product enter drains.

6.3 Methods and material for containment and cleaning up.
Contain and collect spillage with inert absorbent material (earth, sand, vermiculite, Kieselguhr...) and clean the area immediately with a suitable decontaminant.
Deposit waste in closed and suitable containers for disposal, in compliance with local and national regulations (see section 13).

-Continued on next page.-

6.4 Reference to other sections.
For exposure control and individual protection measures, see section 8.
For later elimination of waste, follow the recommendations under section 13.

SECTION 7: HANDLING AND STORAGE.

7.1 Precautions for safe handling.
Advice on protection against fire and explosion
Keep away from open flames, hot surfaces and sources of ignition.
Hygiene measures
Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.
For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities.
Storage conditions
Store in an airtight container in a cool, dry and well-ventilated place. Keep away from food, foodstuffs, incompatible substances, steel structures or steel components. Close container tightly after opening.
Store only in sealed polypropylene or stainless-steel containers. Minimize dust generation and accumulation, and store away from direct sunlight, moisture and heat.
Moisture sensitive; hygroscopic.
Store under lock and key, and keep out of reach of children, uninformed persons and livestock.

Storage class
Storage class (TRGS 510): 5.1B: Oxidizing hazardous materials

7.3 Specific end use(s).
Not available.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.

8.1 Control parameters.

Components	CAS No	Value for Exposure (TWA)	Components Control Parameters (WEL)	Basis
Zinc Sulphate	7733-02-0	1 mg/m3	Not established	EH40/2005
Copper Sulphate	7758-98-7	1 mg/m3	4 mg/m3	EH40/2005
Aluminium Sulphate	10043-01-3	1 mg/m3	10 mg/m3	EH40/2005
Trichloroisocyanuric acid	87-90-1	1 mg/m3	3 mg/m3	AH40/2005

8.2 Exposure controls.
Engineering measures
Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.
Provide appropriate exhaust ventilation at places where dust is formed.

Personal protective equipment
Eye protection : Wear chemical splash goggles when there is the potential for exposure of the eyes to liquid, vapor or mist.
Hand protection Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Skin and body protection : Wear as appropriate:
Safety shoes
Dust impervious protective suit
Flame-resistant clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Wear resistant gloves (consult your safety equipment supplier).
Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.
Dust safety masks are recommended when the dust concentration is more than 10 mg/m3

-Continued on next page.-

Measures of a technical nature:
Provide adequate ventilation, which can be achieved by using good local exhaust-ventilation and a good general exhaust system.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES.

9.1 Information on basic physical and chemical properties.
Appearance : tablet
Colour : white
Odour : strong
Odour Threshold : No data available
pH : 2,7 - 3,2
Concentration: 100 %
Melting point/range : 225 - 230 °C
Decomposition: yes
Boiling point/boiling range : No data available
Flash point : No data available
Evaporation rate : No data available
Flammability (solid, gas) : No data available
Upper explosion limit / Upper flammability limit: No data available
Lower explosion limit / Lower flammability limit: No data available
Vapour pressure : No data available
Relative vapour density : No data available
Relative density : No data available
Density : 0,9 - 1,2 g/ml
Solubility(ies)
Water solubility : moderately soluble
Solubility in other solvents : No data available
Partition coefficient: noctanol/water: No data available
Decomposition temperature : No data available
Viscosity
Viscosity, dynamic : No data available
Viscosity, kinematic : No data available
Oxidizing properties : The substance or mixture is classified as oxidizing with the category 2.

BOOSTER
Appearance: Hygroscopic powder.
Colour: Light bluish-green
Odour: Slight acid smell
pH: No data available.
Melting point/freezing point: No data available.
Initial boiling point and boiling range: No data available.
Flammability: Non-flammable
Lower and upper explosion limit / flammability limit: No data available.
Flash point: Not applicable. The substance is an inorganic solid.
Auto-ignition temperature: No data available.
Decomposition temperature: No data available.
Kinematic viscosity: Not applicable. Substance is in powder form.
Solubility: No data available.
Partition coefficient (n-octanol/water): No data available.
Vapour pressure: No data available.
Density (bulk, uncompacted): 1.05 kg/m3 at 20 °C
Relative vapour density: Not applicable. Substance is a solid.
Particle characteristics: No data available.

9.2 Other information
Viscosity: Not applicable/Not available due to the nature/properties of the product
Explosive properties: Not applicable/Not available due to the nature/properties of the product
Oxidizing properties: Not applicable/Not available due to the nature/properties of the product
Dropping point: Not applicable/Not available due to the nature/properties of the product
Blink: Not applicable/Not available due to the nature/properties of the product

-Continued on next page.-

SECTION 10: STABILITY AND REACTIVITY.

10.1 Reactivity.
The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.
Mixture is slightly hygroscopic

10.2 Chemical stability.
The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions.
A risk of explosion and/or of toxic gas formation exists with the following substances:
- Organic Substances
- combustible substances
- nitrogenous compounds
- Ammonia
- ammonium compounds
- urea
- bases
- Oxidizing agents
- Reducing agents
- Water

Generates dangerous gases or fumes in contact with:
- acids

Generates dangerous gases or fumes in contact with:
- Acids

Exothermic reaction with:
- Strong oxidizing agents
- hydroxylamine
- magnesium

10.4 Conditions to avoid.
Avoid the following conditions:
- Contact with incompatible materials.
- Keep away from heat, flame, sparks and other ignition sources.
- Exposure to moisture.

10.5 Incompatible materials.
Do not allow product to come in contact with other materials, including e.g. other pool treatment products, acids, organic materials, nitrogen-containing compounds, dry powder fire extinguishers (containing mono-ammonium phosphate), oxidizers, all corrosive liquids, flammable or combustible materials, etc. A chemical reaction with such substances can cause a fire.

If product is exposed to small amounts of water, it can react violently to produce heat and toxic gases and spatter.

10.6 Hazardous decomposition products.
Depending on conditions of use, can be generated the following products:
- Chlorine
- nitrogen chloride
- nitrogen compounds
- toxic fumes

-Continued on next page.-

SECTION 11: TOXICOLOGICAL INFORMATION.

11.1 Information on hazard classes as defined in Regulation

Toxicological information about the substances present in the composition.	
Acute Toxicity	**Booster:** Aluminium Sulphate Acute oral LD50 for rats <6200 mg/kg Dermal LD50 for rabbits >5000 mg/kg LC50 Inhalation not listed. Copper Sulphate Acute Oral LD50 for rats 481 mg/kg Dermal LD50 for rabbits >1000 mg/kg LC50 Inhalation not listed. Zinc Sulphate Acute oral LD50 for rats 1260 mg/kg Dermal LD50 not listed. LC50 Inhalation not listed. **Trichlorisocyanuric Acid** Acute oral LD50 for rats 490 mg/kg Dermal LD50 for rabbits >2000 mg/kg Inhalation LC50 (4h) nose only 0.09-0.29 mg/l Acute toxicity Category 3 for dust/mists
Chronic Toxicity	There are no know effects from repeated exposure for either Booster or Active Tablets. Toxicological investigation indicates it does not produce significant effects from chronic exposure to trichlorisocyanuric acid.
Skin corrosion / irritation	Dry material causes moderate irritation, wet material causes skin burns for Booster and Active Tablets.
Serious eye damage / irritation	Corrosive to eyes for both Booster and Active Tablets.
Respiratory / skin sensitisation	Trichloroisocyanuric acid found to be negative skin sensitizer, guinea pig (Buehler Method)
Germ cell mutagenicity	Trichloroisocyanuric acid determined to be non-mutagenic by the Ames Test.
Carcinogenicity	Trichloroisocyanuric acid not reported to be carcinogenic by any reference source (IARC, OSHA, NTP, or EPA).
Reproductive toxicity	Trichloroisocyanuric acid not known to be or reported to cause reproductive or developmental toxicity. No teratogenic or phototoxic effects with similar products.
STOT-single exposure	No data available
STOT-repeated exposure	No data available
Aspiration Hazard	No data available

Other information
There is no information available on other adverse health effects.

-Continued on next page.-

SECTION 12: ECOLOGICAL INFORMATION.

12.1 Toxicity.
Booster:
Aluminium Sulphate
Toxicity
Toxic to fish and other aquatic organisms
Fish: LC50 (96h) >0.156 mg/L
Green Algae: EC50 (72h) 0.644 mg/L
Persistence and Biodegradability
Slowly biodegradable. The products of degradation are less toxic than the product itself.
Bio-Accumulative Potential
No information available
Mobility in Soil
Is soluble in water and will disperse in soil at a rate which depend on the amount and concentration of the spill.
Results of PVT and vPvB assessment
No information available
Other adverse effects
No information available
Copper Sulphate
Toxicity
Toxic to plants, fish, and other aquatic organisms
Green Algae: EC50 (72h) <0.5 mg/l
Persistence and Biodegradibility
Copper sulphate is slowly biodegradable. The products of degradation are less toxic than the product itself.
Bio-Accumulative Potential
Potential to bio-accumulate may lead to ecological disturbances.
Mobility in Soil
Is water soluble and will disperse in soil at a rate which will depend on the amount and the concentration of the spill.
Results of PVT and vPvB assessment
No information available
Other adverse effects
No information available.
Zinc Sulphate
Toxicity
Toxic to fish and other aquatic organisms
Green Algae: EC50 (72h) <0.5 mg/L
Persistence and Biodegradibility
Bio-Accumulative Potential
Mobility in Soil
Results of PVT and vPvB assessment
Other adverse effects.
No information available
Trichloroisocyanuric Acid
Highly toxic to fish and other aquatic organisms
Toxicity
Birds: Oral LD50 Mallard duck 1,600 mg/kg, LC50 dietary Mallard duck (8d) >1000 ppm, dietary Bobwhite quail (8d) 7422 ppm
Fish: LC50 (96h) for Bluegill 0.23-0.40 mg/L, rainbow trout 0.24-0.37 mg/L
Daphnia: LC50 (48h) Daphnia magna 0.17-0.80 mg/L
Green Algae: EC50 <0.5 mg/ml
Persistence and degradability
No data available
Bio-accumulative potential
No data available
Mobility in soil
No data available
Results of PBT and vPvB assessment
No data available
Other adverse effects
No data available

-Continued on next page.-

SECTION 13: DISPOSAL CONSIDERATIONS.

13.1 Waste treatment methods.

The generation of waste should be restricted or minimized wherever possible. This product is hazardous to the aquatic environment and any form of discharge or leakage into the environment, should be avoided. Do not dispose of this substance in the drain. Dispose of this substance in accordance with the regulations stipulated in the National Environmental Management Waste Act 2008 of South Africa.

SECTION 14: TRANSPORT INFORMATION.

Transport following ADR rules for road transport, RID rules for railway, ADN for inner waterways, IMDG for sea, and ICAO/IATA for air transport.
Land: Transport by road: ADR, Transport by rail: RID.
Transport documentation: Consignment note and written instructions
Sea: Transport by ship: IMDG.
Transport documentation: Bill of lading
Air: Transport by plane: ICAO/IATA.
Transport document: Airway bill.

14.1 UN number or ID number.
UN No: UN2468

14.2 UN proper shipping name.
Description:
ADR/RID: UN 2468, OXIDIZING SOLID, N.O.S. (CONTAINS SYMCLOSENE), 5.1, PG II, (E)
IMDG: UN 2468, OXIDIZING SOLID, N.O.S. (CONTAINS SYMCLOSENE), 5.1, PG II, MARINE POLLUTANT
ICAO/IATA: UN 2468, OXIDIZING SOLID, N.O.S. (CONTAINS SYMCLOSENE), 5.1, PG II

14.3 Transport hazard class(es).
Class(es): 5.1

14.4 Packing group.
Packing group: II

14.5 Environmental hazards.
Marine pollutant: No

Dangerous for the environment
Transport by ship, FEm – Emergency sheets (F – Fire, S - Spills): F-A,S-Q

14.6 Special precautions for user.
Labels: 5.1

Hazard number: 50
ADR LQ: 1 kg
IMDG LQ: 1 kg
ICAO LQ: 2,5 kg

Provisions concerning carriage in bulk ADR: Not authorized carriage in bulk in accordance with ADR.
Proceed in accordance with point 6.

14.7 Maritime transport in bulk according to IMO instruments.
The product is not transported in bulk.

SECTION 15: REGULATORY INFORMATION.

-Continued on next page.-

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.
EU Regulations: EC 1272/2008 (EU-GHS/CLP)

15.2 Chemical safety assessment.
No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: OTHER INFORMATION.

Complete text of the H phrases that appear in section 3:

EUH031	Contact with acids liberates toxic gas.
H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Classification codes:

Acute Tox. 4 : Acute toxicity (Oral), Category 4
Aquatic Acute 1 : Acute toxicity to the aquatic environment, Category 1
Aquatic Chronic 1 : Chronic effect to the aquatic environment, Category 1
Eye Dam. 1 : Serious eye damage, Category 1
Eye Irrit. 2 : Eye irritation, Category 2
Met. Corr. 1 : Corrosive to metals, Category 1
Ox. Sol. 2 : Oxidising solid, Category 2
STOT SE 3 : Specific target organ toxicity following a single exposure, Category 3

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards	On basis of test data
Health hazards	Calculation method
Environmental hazards	Calculation method

It is advisable to carry out basic training with regard to health and safety at work in order to handle this product correctly.

Abbreviations and acronyms used:
ADR/RID: European Agreement concerning the International Carriage of Dangerous Goods by Road.
AwSV: Facility Regulations for handling substances that are hazardous for the water.
DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.
DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated.
EC50: Half maximal effective concentration.
IATA: International Air Transport Association.
ICAO: International Civil Aviation Organization.
IMDG: International Maritime Code for Dangerous Goods.
LC50: Lethal concentration, 50%.
LD50: Lethal dose, 50%.
RID: Regulations Concerning the International Transport of Dangerous Goods by Rail.
WGK: Water hazard classes.

Key literature references and sources for data:
http://eur-lex.europa.eu/homepage.html
http://echa.europa.eu/
Regulation (EU) 2020/878.

-Continued on next page.-

Regulation (EC) No 1907/2006.
Regulation (EU) No 1272/2008.

The information given in this Safety Data Sheet has been drafted in accordance with COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemical substances and mixtures (REACH).

The information in this Safety Data Sheet on the Preparation is based on current knowledge and on current EC and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.

-End of safety data sheet.-