

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010 Issue date: 6/27/2022 Revision date: 6/27/2024 Version: 1.1

SECTION 1: Identification	
1.1. Product identifier	
Product form Trade name Type of product Product code Product group	 Mixture Mr Sheen Clearview glass and multi surface cleaner - Lemon Glass cleaner,Multi surface cleaner SH1241 Trade product
1.2. Relevant identified uses of the substa	nce or mixture and uses advised against
Use of the substance/mixture	:
1.3. Supplier's details	
Manufacturer Shield Chemicals (Pty) Ltd 9 London Rd Apex P.O. Box 1939 1501 Benoni – Gauteng South Africa T (011) 421 7111 Contact: Jayson Clark	
1.4. Emergency telephone number	
Emergency number	: (011) 421 7111
SECTION 2: Hazards identification	
2.1. Classification of the substance or mixe	
Classification according to the United Nations G Flammable liquids Not classified Skin corrosion/irritation, Category 1 Serious eye damage/eye irritation, Category 1 Full text of H-statements: see section 16	H314 H318
2.2. Label elements	
Labelling according to the United Nations GHS Hazard pictograms (GHS ZA)	
Signal word (GHS-ZA) Hazardous ingredients Hazard statements (GHS ZA) Precautionary statements (GHS ZA)	 Danger 2-propanol, 2-Butoxyethanol H314 - Causes severe skin burns and eye damage. P260 - Do not breathe vapours. P264 - Wash hands, forearms and face thoroughly after handling. P280 - Wear eye protection, protective clothing, protective gloves. P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

	 P310 - Immediately call a doctor. P321 - Specific treatment (see supplemental first aid instruction on this label). P363 - Wash contaminated clothing before reuse. P405 - Store locked up. P501 - Dispose of contents and container to an approved waste disposal plant.
henerde	

2.3. Other hazards

Adverse physicochemical, human health and environmental effects

: Causes severe skin burns and eye damage, Causes serious eye damage.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to the United Nations GHS
2-propanol	CAS-No.: 67-63-0	1.0 - 4.0	Flam. Liq. 2, H225 Acute Tox. Not classified (Oral) Acute Tox. Not classified (Dermal) Eye Irrit. 2A, H319 STOT SE 3, H336 Asp. Tox. Not classified Aquatic Acute Not classified
2-Butoxyethanol	-	1.0 - 5.0	Flam. Liq. Not classified Acute Tox. 4 (Oral), H302 Acute Tox. Not classified (Dermal) Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Aquatic Acute Not classified

SECTION 4: First aid measures

4.1. Description of first aid measures			
First-aid measures general	: Call a physician immediately.		
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.		
First-aid measures after skin contact	: Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a physician immediately.		
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.		
First-aid measures after ingestion	: Rinse mouth. Do not induce vomiting. Call a physician immediately.		
4.2. Most important symptoms and effects, both acute and delayed			
Symptoms/effects after skin contact	: Burns.		
Symptoms/effects after eye contact	: Serious damage to eyes.		
Symptoms/effects after ingestion	: Burns.		

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.		
5.2. Special hazards arising from the substance or mixture			
Hazardous decomposition products in case of fire	: Toxic fumes may be released.		
5.3. Advice for firefighters			
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.		

SECTION 6: Accidental release measures				
6.1. Personal precautions, protective equipment and emergency procedures				
No additional information available				
6.1.1. For non-emergency personnel				
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe vapours.			
6.1.2. For emergency responders				
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".			
6.2. Environmental precautions				
Avoid release to the environment.				
6.3. Methods and material for containment and cleaning up				

Methods for cleaning up	:	Take up liquid spill into absorbent material.
Other information	:	Dispose of materials or solid residues at an authorized site.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not breathe vapours. Wear personal protective equipment.
Hygiene measures	: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Store locked up. Store in a well-ventilated place. Keep cool.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

2-propanol (67-63-0)		
South Africa - Occupational Exposure Limits (Recommended Limits)		
Local name	Propan-2-ol (Isopropyl alcohol)	
OEL TWA	960 mg/m³ Isopropyl alcohol 980 mg/m³ Propan-2-ol	
OEL TWA [ppm]	400 ppm	

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

2-propanol (67-63-0)		
OEL STEL	1225 mg/m ³	
OEL STEL [ppm]	500 ppm	
Remark	Sk	
Regulatory reference	Government Notice. R: 1179	
South Africa - Occupational Exposure Limits (Airborne Pollutants)		
Local name	Isopropyl alcohol (Propan-2-ol)	
OEL TWA	980 mg/m³	
OEL TWA [ppm]	400 ppm	
OEL STEL	1225 mg/m ³	
OEL STEL [ppm]	500 ppm	
Regulatory reference	Government Notice No. R 904	
8.2. Appropriate engineering controls		

Appropriate engineering controls Environmental exposure controls

: Ensure good ventilation of the work station.: Avoid release to the environment.

8.3. Individual protection measures, such as personal protective equipment (PPE)

Hand protection	: Protective gloves
Eye protection	: Safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment
Personal protective equipment symbol(s):	
6	

8.4. Exposure limit values for the other components

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Liquid.
Colour	: Yellow.
Odour	: lemon.
Odour threshold	: No data available
рН	: 9.5 – 11.5
pH solution	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Relative evaporation rate (ether=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 100 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Vapour pressure at 50 °C	: No data available

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Relative density of saturated gas/air mixture	: No data available
Density	: No data available
Relative gas density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Partition coefficient n-octanol/water (Log Kow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available
Lower explosive limit (LEL)	: No data available
Upper explosive limit (UEL)	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information 11.1. Information on toxicological effects

Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	 Not classified Not classified Not classified
2-propanol (67-63-0)	
LD50 oral rat	5840 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	16400 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Experimental value, Dermal, 14 day(s))
LC50 Inhalation - Rat [ppm]	> 10000 ppm (Equivalent or similar to OECD 403, 6 h, Rat, Male / female, Experimental value, Inhalation (vapours), 14 day(s))

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

2-Butoxyethanol		
LD50 oral rat		≈ 470 mg/kg
LD50 dermal rabbit		≈ 220 mg/kg
Skin corrosion/irritation		Causes severe skin burns. pH: 9.5 – 11.5
Serious eye damage/irritation		Causes serious eye damage. pH: 9.5 – 11.5
Respiratory or skin sensitisation	:	Not classified
Germ cell mutagenicity	:	Not classified
Carcinogenicity	:	Not classified
Reproductive toxicity	:	Not classified
STOT-single exposure	:	Not classified
2-propanol (67-63-0)		
STOT-single exposure		May cause drowsiness or dizziness.
STOT-repeated exposure	:	Not classified
Aspiration hazard	:	Not classified

SECTION 12: Ecological information

12.1. Toxicity	
Hazardous to the aquatic environment, short-term : (acute)	Before neutralisation, the product may represent a danger to aquatic organisms. Not classified Not classified
2-propanol (67-63-0)	
LC50 - Fish [1]	9640 – 10000 mg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow- through system, Fresh water, Experimental value, Lethal)
Partition coefficient n-octanol/water (Log Pow)	0.05 (Weight of evidence approach, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.185 – 0.541 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
2-Butoxyethanol	
LC50 - Fish [1]	≈ 2000 g/l

12.2. Persistence and degradability

Persistence and degradability No additional information available		
2-propanol (67-63-0)		
Persistence and degradability Biodegradable in the soil. Biodegradable in the soil under anaerobic conditions. Rebiodegradable in water.		
Biochemical oxygen demand (BOD)	1.19 g O ₂ /g substance	
Chemical oxygen demand (COD)	2.23 g O ₂ /g substance	
ThOD	2.4 g O ₂ /g substance	
12.3. Bioaccumulative potential		

Mr Sneen Clearview glass and multi surface cleaner - Lemon		
Bioaccumulative potential	No additional information available	

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

2-propanol (67-63-0)		
Partition coefficient n-octanol/water (Log Pow)	0.05 (Weight of evidence approach, 25 °C)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.185 – 0.541 (log Koc, SRC PCKOCWIN v2.0, Calculated value)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
12.4. Mobility in soil		
Mr Sheen Clearview glass and multi surface cleaner - Lemon		
Mobility in soil No additional information available		
2-propanol (67-63-0)		
Surface tension	0.021 N/m (25 °C)	
Partition coefficient n-octanol/water (Log Pow)	0.05 (Weight of evidence approach, 25 °C)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.185 – 0.541 (log Koc, SRC PCKOCWIN v2.0, Calculated value)	
Ecology - soil	Highly mobile in soil.	
12.5. Other adverse effects		

Ozone	:	Not classified
Other adverse effects	:	No additional information available

SECTION 13: Disposal considerations	
13.1. Disposal methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with SANS / IMDG / IATA

SANS	IMDG	ΙΑΤΑ
14.1. UN number		L
Not regulated for transport		
14.2. Proper Shipping Name		
Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)		•
Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable
14.4. Packing group		•
Not applicable	Not applicable	Not applicable
14.5. Environmental hazards		·
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No
No supplementary information available	1	1

14.6. Special precautions for user

SANS

No data available

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

IMDG

No data available

IATA No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health, and environmental national regulations specific for the product

No additional information available

SECTION 16: Other information

Issue date Revision date

: 27/06/2022 : 27/06/2024

Full text of	Full text of H-statements		
H225	Highly flammable liquid and vapour.		
H226	Flammable liquid and vapour.		
H227	Combustible liquid		
H301	Toxic if swallowed.		
H302	Harmful if swallowed.		
H303	May be harmful if swallowed		
H304	May be fatal if swallowed and enters airways.		
H311	Toxic in contact with skin.		
H313	May be harmful in contact with skin		
H314	Causes severe skin burns and eye damage.		
H315	Causes skin irritation.		
H317	May cause an allergic skin reaction.		
H318	Causes serious eye damage.		
H319	Causes serious eye irritation.		
H330	Fatal if inhaled.		
H332	Harmful if inhaled.		
H335	May cause respiratory irritation.		
H336	May cause drowsiness or dizziness.		
H361	Suspected of damaging fertility or the unborn child.		
H400	Very toxic to aquatic life.		
H401	Toxic to aquatic life		
H402	Harmful to aquatic life		
H410	Very toxic to aquatic life with long lasting effects.		
H411	Toxic to aquatic life with long lasting effects.		

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Full text of H-sta	atements
H412	Harmful to aquatic life with long lasting effects.

Safety Data Sheet (SDS), South Africa

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.